

ENERGY EFFICIENCY FOR NETWORK EQUIPMENT: TWO STEPS BEYOND GREENWASHING

Table of Contents

Executive Summary	1
Introduction	1
The Basics of Moving Data	2
Step One: Efficiency Criteria	2
What to Expect from an ECR Metric	2
Decoding Vendor Datasheets	3
Advanced Topics in Efficiency Criteria	4
Step Two: Design Goals	6
Conclusion	7
Literature	7
Appendix A: Juniper Networks T1600 Core Router Power and Performance Metrics	7
About Juniper Networks	8

Executive Summary

Rising energy costs and increasingly rigid environmental standards work in tandem to draw attention to the “energy footprint” aspect of data networking. Governments and corporations around the world are tightening energy and emission budgets, thus creating demand for new, energy-aware generations of telecom equipment.

In response, telecom vendors are starting to label their offerings as “green” and “environment-friendly.”

But one important detail about this theme is often missing: verifiable data to support these “green” marketing claims. This paper aims to fill the resulting gap by discussing the practical aspects of achieving and objectively measuring energy efficiency in the telecom world.

As the first step, we define an efficiency metric that supports informed decisions related to network equipment energy consumption. In the remainder of the document, new criteria are used to define the best energy practices and the practical aspects of energy efficiency for the networking industry.

Introduction

Daily price increases at the gas pump are typically the world’s most recognized symbol of rising energy costs. Expensive fossils also mean expensive electricity, which is highly relevant in the corporate world, where operating costs are rising commensurate with the local utility bills.

Meanwhile, most people believe that reducing energy-related office and transportation expenses is fairly straightforward, driven primarily by media and government agency popularization. Advanced lighting technology, heat management, and low-impact transportation systems are expected to lower the cost of everyday living—albeit at the expense of a higher initial expenditure. In fact, the latter frequently determines the right point to invest in energy-saving technologies.

In order to discuss energy efficiency in telecom networks, let’s imagine a day in the life of a Chief Green Officer (CGO) for a large corporation.

To date, all employees have received energy-efficient laptops, and overhead daylight panels have been replaced with low-power organic LED matrices. The entire building has been fitted with an advanced airflow system that substitutes for the legacy forced-air cooling. Furthermore, a pilot project has just begun to integrate solar panels into windows and glass walls, the first step towards a zero-sum energy operation.

One morning, our CGO drives her hybrid car to work for a routine meeting with the Chief Technology Officer (CTO) to discuss an upcoming corporate network expansion. But the first thing she hears upon arrival is very startling: an expensive network overhaul will likely increase the company’s energy footprint by several hundreds of kilowatts—a disheartening message in direct contrast with the improvements the company has already implemented.

Anxious to achieve her energy conservation goals, she calls one leading telecom vendor for comments. What she hears goes along the lines of: “Measuring the consumption of each network component is not very useful; you should look at the overall solution to determine the final efficiency.”

Promptly failing to construct the “overall solution” in her head, she tries yet another vendor and gets lucky this time. Rather than being brushed off, she gets an interesting perspective on how an assorted collection of power management technologies will help her network become energy-efficient in the not-so-distant future. But yet again, she fails to obtain firm numbers or commitments.

Sound familiar? This is the current state-of-the-art of energy management in the networking industry.

Unlike the cost of transportation and light bulb ownership, energy consumption for telecom equipment is not a simple metric; it depends on many parameters, most prominently technology, performance, and applications. This mix of parameters makes it challenging to estimate the actual energy efficiency of network equipment—a situation clearly undesirable for customers, government agencies, and companies focused on innovation.

Solving this problem requires a coordinated effort of vendors, governments, and customers alike to identify and clarify metrics that unambiguously and objectively define the energy efficiency of the network world.

The Basics of Moving Data

It is widely accepted that modern data storage and transmission were made possible by the discipline of informational theory, established by Claude E. Shannon in his landmark article “A Mathematical Theory of Communication” in 1948. As a practical consequence of his work, an arbitrary message can be represented via units of informational entropy. Modern computing and communication devices typically use binary entropy units (bits) to store and access information within the device, although some can represent data in more complex forms. In any case, information exchange happens by alternating and reading the unit states, a process that requires electronic or optical gates to transition between different energy levels.

Energy consumption in networking equipment is related to loss during the transfer of electric charges, which in turn is caused by imperfect conductors and electrical isolators. The exact rate of this consumption depends on technology (operating voltage and fabrication process), as well as the frequency of transitions and the number of gates involved. The latter is driven by the architecture and purpose of a telecom or network device.

However, the number of circuits, gates, and their individual operating frequencies are not very interesting to end users.

Instead, when choosing equipment for a new network build-out, the list of requirements for the data plane typically comprises a set of features (minimum packet processing requirements), scaling parameters (bandwidth, queues, or other revenue-generating assets), packaging format, and relative cost. Vendors are free to offer any platforms and technologies that satisfy the respective requirements. Thus, a typical Request for Proposal (RFP) simply defines a product class (for example, a core router or an Ethernet switch), and equipment manufacturers offer products of variable capacity that fit this profile.

Step One: Efficiency Criteria

As different vendors develop competing technologies and architectures, this leads to unequal energy consumption between equipment belonging to the same class. Therefore, in theory, to determine the winner in energy consumption, it would be sufficient to put two or more network devices under the same load and measure their respective power draw.

In reality, however, this is rarely possible.

First of all, full-scale testing of network equipment requires a non-trivial investment in test gear, possibly costing millions of dollars in the case of high-end routers and switches. Second, network devices come in different capacities, and this raises a question as to what the system configuration should be for the test. Fully configured platforms of unequal scale will obviously produce energy readings that are not directly comparable.

In order to define an efficiency metric, we need to normalize energy consumption E by effective full-duplex throughput T . This will give us a normalized energy consumption rating, where E denotes the energy consumption (in watts) and T denotes the effective system throughput (in bits per second) [SAINT 2008].

$$ECR = \frac{E}{T}$$

The values of E and T may come from either internal testing or the vendor’s data; in both cases, they should be verifiable.

For the current generation of network equipment, ECR is most conveniently expressed in watts/Gbps, identifying the amount of energy (in joules) required to move an array of data (in bits) across the device. ECR is a peak metric that reflects the highest performance capacity of the device.

What to Expect from an ECR Metric

As we mentioned before, ECR can be a valid differentiator within a product class, where several vendors may contend for energy efficiency with competing technologies and system architectures. Equipment with better (lower) ECR ratings will spend less energy to move the same amount of payload.

This is where network equipment loses the analogy to light bulbs and passenger cars—the amount of commercial payload (system capacity) must be factored into efficiency estimates. If capacity requirements are growing, they may or may not be satisfied within the energy budget originally reserved for the legacy network. Internet traffic can, in fact, be compared to commercial freight—it naturally takes more energy to transport an increasing volume of cargo.

Contingent on standardization [ECR 1.0.6], knowledge of an efficiency metric immediately positions a product relative to its competition on the energy grid; this is informative and promotes competition among vendors.

But the value of a normalized efficiency rating goes well beyond head-to-head platform comparisons.

A standardized way of measuring energy efficiency paves the way for forward-looking requirements and goals. A typical network equipment vendor cannot comply with the goals set by a single testing laboratory—this does not scale, as every customer may come with a unique set of tests and network conditions. The picture changes with *ECR*, which represents a unified way of testing and can be used for defining long-term R&D targets.

On the other hand, standardization of *ECR* measurements will mean that each specific (customer) setting may not be met exactly. For instance, if a customer only plans to deploy 600 Gbps of switching capacity, and the considered platform is rated at 1.6 Tbps in a full configuration, the standardized *ECR* value will not match the actual efficiency numbers observed in the field. The same restriction applies to a standardized test load relative to any particular packet traffic.

However, there is a good chance that relative *ECR* standings between the platforms will stay the same across a wide range of configurations and offered load profiles—an important assumption that represents a compromise between custom and standardized testing. While the latter should be freely and widely available, the former may require significant investments, but yield better precision. We expect that for most practical purposes, a standardized *ECR* rating will be an adequate energy performance estimate.

Decoding Vendor Datasheets

The vendor-agnostic nature of the *ECR* metric makes it a good basis for head-to-head comparisons, but with one catch—in order to produce comparable metrics, parameters E and T should be collected with the same methodology and acceptable precision.

In theory, even if the network equipment vendor does not report *ECR* or a similar energy efficiency metric obtained under controlled methodology, it should still be possible to approximate *ECR* using the data publicly available in the datasheets or test results.

Let's first look into platform throughput.

The easiest thing to define, throughput equals the amount of data the platform can process per second under reasonable conditions; that is, traffic pattern and system configuration should be commensurate with the product class. Most often, however, vendors report platform capacity, not throughput. Capacity is typically given as half-duplex bandwidth, expressed in Gbps. This number, when divided by two, should normally give the full duplex throughput (T) of the system.

Unfortunately, this is not always the case.

Some vendors express system capacity as the theoretical peak utilization the system can achieve based on a single isolated metric (for example, switch fabric design). This may impose significant limitations—things like line cards that can't use their (potentially available) fabric bandwidth, inter-slot restrictions preventing the system from reaching the stated goal in a full-mesh traffic scenario, or other limits with sustained load profiles and usability. Other vendors consciously misinform customers about their product capacities, quoting "terabytes" and "petabytes" that never had a chance to exist. Thus, vendor data should always be verified.

For the purposes of an *ECR* calculation, throughput T may only include effective (revenue-generating) capabilities; therefore, it should be calculated as a sum of the capacity of all active line cards in a mesh configuration, while the traffic profile should correspond to the class of the device. For example, a stated 720 Gbps throughput of an edge router may have to be reduced to 240 Gbps or even less, if the platform under test is actually performing as such. Sometimes this type of data is hard to obtain from the vendor and requires unbiased study of internal and external test reports.

Energy consumption is the part that is even harder to figure out from a vendor's collateral.

A typical datasheet or hardware guide may include several energy metrics, including but not limited to:

- Power System Rating (power supply rating, expressed in amps or watts)
- Maximum Energy Consumption (expressed in watts)
- Component-based Consumption Estimate (expressed in watts)
- Typical (Average) Power Draw (expressed in watts)

Power System Rating reflects the site preparation requirements recommended by the vendor and tends to be very conservative. Also known as “Agency Label,” it can potentially be used as an estimate for consumption, but with a high error margin. Vendors often outfit their platforms with high-capacity power supplies in planning for future system upgrades; the actual system consumption may be a fraction of what the power supplies can deliver.

Maximum Power Consumption is a vendor’s estimate for the highest configuration footprint that can also serve as an upper boundary estimate for the power draw. However, it tends to penalize modular systems designed for the optional high-power components. For example, an Ethernet switch designed with Power over Ethernet (PoE) modules in mind will have much higher maximum power draw than a fixed copper-port model; yet both systems may yield identical consumption in a pure 1000 BaseT mode of operation. In addition, a maximum energy consumption estimate can change without notice when new modules are introduced and old modules withdrawn from production.

Component-based Consumption Estimate allows a customer to estimate a power draw in a “customized” configuration by adding the configured parts (components) together. For the purpose of the estimate, some vendors publish components “ratings”—which are rather conservative—and some publish the data obtained by the actual measurement under certain conditions. It is important to note that the arithmetical sum of component ratings never represents the actual system.

Typical (Average) Power Draw is sometimes reported to offset the (otherwise unremarkable) numbers shown in the “Power System Rating” or “Maximum Energy consumption” section, and tends to gravitate to the conservative side of the energy consumption range. Motivated to demonstrate the low current draw, vendors are free to report this metric with underpowered configurations, components or load profiles that yield the best results; omission of a published test methodology typically signifies these and similar issues. In the lack of a public disclosure on measurement conditions, “typical” or “average” power draw cannot be reasonably used to rate the device against any other platform.

In conclusion, we may say that if the vendor does not report the data under standards-driven test methodology, reconstructing it with a platform’s datasheets or hardware guides can be a challenging task even for a reference (well-known) configuration. Independent test results may be required to obtain performance estimates in a controlled condition and configuration, and conservative “maximum energy consumption” figures may have to be used in lieu of test-based measurements.

Advanced Topics in Efficiency Criteria

So far, we have focused on peak efficiency: *ECR* represents energy performance of a fully-configured system running at maximum load. It is not unreasonable to question whether such a metric is relevant to more typical applications, where a network platform may run at a fraction of the rated capacity.

Platform Modularity

Modular telecom platforms are rarely deployed in full configurations from the start; instead, they typically reach their service ceiling midlife, after the network has gone through expansion and upgrade rounds.

To quickly estimate the effect of a partial configuration, we can represent the energy draw of a modular router or switch to be a sum of a fixed part *F* (chassis, host system, fabric, clocking) and a variable part *V* (which represents removable line cards, interface ports, and physical line drivers).

$$E = F + V$$

It is trivial to demonstrate that a system with more efficient fixed and variable parts (as normalized by throughput) in a full configuration will also remain more efficient across all partial configurations. If this condition is not true, a crossover point can be found, where a previously less effective system may become more efficient with proportional reduction of removable components (typically, a fairly degraded configuration).

Absolute Energy Footprint

In most practical cases, partial configurations will never change the relative standing of comparable platforms. However, for planning purposes, it is also interesting to know how much a platform would consume in a given configuration. Given that vendors cannot publish “reference” ratings for all possible applications, obtaining an estimate of a custom configuration involves some approximation. Component-based “energy calculators” are often provided by vendors, but their accuracy is highly variable (see Appendix A for an example). To improve this situation, *ECR* test methodology can be adapted to collect realistic component footprints and report them in addition to “energy ratings.”

Energy Efficiency and Time Scales

A quite common scenario happens when a network system is not fully loaded with traffic; this case is widely seen across all network and topology types. Due to the inherently fractal nature of Internet communications, even the busiest networks in the world still have their on-peak and off-peak periods.

The opportunity for hardware and software designers here is to exploit drops in packet rates to conserve the power consumed by the network device. Estimating this “dynamic power management” capability would require measuring the energy consumption under a variable load. Therefore, it would be useful to complement the peak *ECR* metric with an optional energy efficiency rating (*EER*) that reflects dynamic network conditions, where E_f , E_h and E_i correspond to energy consumption in full-load, half-load, and idle modes respectively. Weight coefficients α , β , γ represent the relative importance of different modes of operation and are application-dependent.

$$EER = \frac{T}{((\alpha \times E_f) + (\beta \times E_h) + (\gamma \times E_i))}$$

EER is a synthetic metric that favors network platforms with dynamic power management and stimulates research efforts in the area of Barroso’s principle of load proportionality [Luiz Barroso 2008]. It is important to notice that any “elasticity” in energy consumption during *EER* testing should not involve packet loss. Any state changes (if done) should happen automatically and in real time (on a scale of milliseconds).

Finally, there are cases where network equipment operates under “extended idle” conditions. Such situations may happen during day/night, weekday/weekend, or other periodic and predictable cycles. In this case, it may be useful to transition network equipment into a “standby” state, with capacity reduced in return for a smaller energy footprint. Transition between “active” and “standby” states is not required to be instant. This mode of operation, if implemented, may need its own set of energy metrics.

Metric Accuracy and Practical Impact

Regardless of which energy-related metric can be constructed or reported, it has little merit by itself; it is merely a tool to improve efficiency in real-world network deployments. Just like any other tool, it also has the attribute of accuracy, which defines the standard divergence of results. In a physical sense, the accuracy of *ECR* and *EER* reflects the averaging done in the course of measurement and fluctuations within the device; the former relates to sampling frequency during the test run and the latter relates to technological deviations. Such deviations do not only mirror the tolerance of the components utilized by the vendor, but also cover minor revision changes the vendor may apply to boards and circuits.

The experiential evidence of energy consumption testing at Juniper Networks® laboratories suggests that the practical *ECR/EER* accuracy typically stays within ± 2.5 percent, which accounts for metrology errors and platform variations. Doubling the margin for safety, we can conclude that a practical *ECR/EER* advantage can be reliably reported within 10 percent or higher difference.

The practical implications of *ECR* diversity can be expressed in two ways: the monetary difference and the environmental impact.

The monetary difference relates to the cost of ownership over the life span of the network equipment, which, in most cases, is between 60 and 120 months. If a carrier point of presence (POP) or mid-size data center consumes 100 kilowatts, an *ECR* difference of 10 percent is equal to 438,300 kilowatt-hours ($24 * 365.25 * 5$) over five years of ownership. This number reflects the raw consumption of the network equipment and does not incorporate collateral energy charges such as cooling and power conversion. For the purposes of a cost estimate, a fully burdened consumption should be considered, which typically ranges from 1.5 to 3 times the input of network equipment. Assuming relatively conservative 2x cooling and conversion overhead, starting kilowatt-hour cost of \$0.10, and a fairly optimistic case of 10 percent rate increase per year, our reference *ECR* improvement of 10 percent is equal to \$107,000 in reduced operating expenses.

Likewise, *ECR* difference of 20 percent would yield \$200K in operating expenses, 50 percent would equate to half a million in savings, and so on.

The environmental impact of network operations creates a second dimension for energy efficiency.

Following ratification of the Kyoto Protocol, many countries have accepted CO₂ reduction targets relative to 1990 emission levels. As a result, energy-consuming industries have to comply with the new legislation. The monetary aspect of such a transition may have less impact compared to political values and administrative mandates that can cause some corporations to find themselves in dire need of energy-efficient technologies. Looking at immediate targets (2009-2010), *ECR* forms the basis for equipment selection criteria. When planning for future (2011 to 2020) goals, *ECR* becomes a set of values and common language to speak to equipment manufacturers, which can be critically important for success of environmental efforts worldwide.

In environmental terms, choosing equipment with a 10 percent *ECR* advantage can be equal to a one year advantage on the carbon emission roadmap; a 50 percent advantage can be as good as reaching a forward-looking target covering the lifetime of new network deployment. This is where technology intersects with ecology.

Step Two: Design Goals

Defining a set of energy efficiency criteria can be compared to putting a stake in the ground and drawing a set of coordinates around it. This first step is necessary to define the starting point and the direction of progress. Designing efficient network platforms is a second necessary step for the success of an energy-aware networking paradigm.

As a complex combination of software and hardware, a network platform of any kind cannot become energy-efficient by chance; instead, it has to be meticulously designed to achieve advanced functionality within a limited energy budget. While a technical discussion on energy-related design topics [EE Penguin] is outside the scope of this paper, the general process of technology improvements is worth a look.

At the highest level, energy-related improvements in network equipment design can be classified as organic and engineered. Organic efficiency improvements are commensurate with Dennard's scaling law—every new generation of network silicon packs more performance in a smaller energy budget.

Engineered improvements refer to active energy management including, but not limited to—idle state logic, gate count optimization, memory access algorithms, I/O buffer reduction, and so forth.

It is interesting to note that some passive (organic) and active (engineered) energy management enhancements go directly in step with building network systems, while some do not. For example, better density, integration, and heat management allow for building faster and denser platforms—a clear differentiator in the market. On the other hand, dynamic power management proportionate to an instant load is a technology that does not fundamentally affect platform density or capacity. However, such and similar intellectual property form a pool of promising technologies that may, in fact, improve energy efficiency at a pace exceeding Moore's law. The return on investment in such areas is not always material, while being a pioneer is a challenging and expensive role. Therefore, innovative companies clearly need support from corporations and government agencies for continuous research in the area of energy efficiency. We expect that industry success in this area will increasingly rely on the effectiveness of a dialog between researchers, engineers, and business leaders.

Another remarkable area that may bring a lot of difference is the discipline of network design, where customers, consultants, and value-added resellers can team for improved topology design, equipment selection, and expansion planning.

Here are some guidelines that can make a profound difference in the overall result:

- Select equipment with best *ECR/EER* ratings.
- Plan for good system and network utilization; avoid excessive capacity reserves.
- Include rack space, cooling, and power conversion in your assessment, as these items can make a big difference in monetary and environmental impact.
- Do not multiply entities beyond necessity. Universal "Swiss army knife" designs are often the worst in energy draw. Lean and effective core, edge, and access infrastructure provide the best in energy efficiency.
- Consider local energy costs and trends—this can affect the total cost of ownership.

To estimate the effect of such simple guidelines, let's theorize what our CGO can do after getting in touch with a network vendor that understands the importance of energy management.

First, her company's new network project can be redesigned for a smaller energy footprint, lower OpEx, and simplified structure—all factors strongly promising to offset short-term capital expenses over the long haul. Her forward-looking energy goals can also be re-balanced against the preferred vendor's roadmap of ECR ratings—a welcome change from the unplanned mode of operation. This can result in improved business workflow—without monetary and environmental compromises.

One imaginary business case. One real planet.

Whether they can co-exist will depend on you.

Conclusion

Various estimates of Internet traffic yield different predictions, yet everyone seems to agree that the importance of data communications and the volume of traffic will continue to grow. This growth will likely vary from a linear to an exponential curve, depending on the country and economic conditions. Still, we can reliably conclude that individual consumers and businesses will increasingly rely on data networks worldwide.

Does this mean that networking equipment will be responsible for a global increase in energy consumption? Not necessarily.

Indeed, modern networks are frequently growing faster than Moore's law, which is the main reason for the absolute increase in energy consumption (also seen by our imaginary CGO in the first section of this paper). However, much of this growth is offset by reductions in other areas like commuting, offline shopping, offline banking, and goods manufacturing. The social phenomenon of a "Net-centric World" is transforming our planet for a better quality of living with less material footprint.

As we are moving towards an information-driven society, human activity increasingly shifts into online domain, and efforts to build sustainable and environmentally-friendly equipment will stay high on the priority list. Demand for noticeable and verifiable energy efficiency will only continue to rise.

The two much-needed steps are an industry effort to standardize telecom network efficiency, and the rise of sustainable network technologies.

For an increasing number of very valid reasons, it's clear that we need to take these steps.

References

Barroso, Luiz. 2008. *Luiz Barroso on Energy Proportional Computing*. O'Reilly Media Inc.

Ceuppens, Luc, Daniel Kharitonov, and Alan Sardella. 2008. Proceedings of IEEE Symposium on Applications and the Internet: "Power Saving Strategies and Technologies in Network Equipment Opportunities and Challenges, Risk and Rewards"

Juniper Networks. 2009. *Network and Telecom Equipment - Energy and Performance Assessment, Test Procedure and Measurement Methodology* Draft, version 1.0.6.

Juniper Networks. 2009. *Energy Efficiency - Penguin-friendly Networking in Design*.

Appendix A: Juniper Networks T1600 Core Router Power and Performance Metrics

PLATFORM	FABRICATION PROCESS	FORM FACTOR	FEATURE SET	SYSTEM CAPACITY
T1600	90 nm	½ Telco rack	Core, Edge router	1.6 Gbps

POWER SYSTEM RATING (Agency Label)	THEORETICAL ENERGY CONSUMPTION BASED ON COMPONENT RATINGS	ACTUAL ENERGY CONSUMPTION MEASURED UNDER ECR METHODOLOGY (CLASS 1.1) ¹	ECR ¹ (CLASS 1.1)	EER ¹ (CLASS 1.1)
8,352 watts	7,008 watts	5,640 watts	9.34 watts/Gbps	8.99

Reference configuration: T1600 base, Juniper Networks Junos® operating system 9.1, 2xRE, 2xSCG, 8xFPC Type 4, 10-Gigabit Ethernet SR ports.

Environment conditions: 48 VDC ±0.5%, 27° C air temperature, air pressure 900 mbar.

¹As measured in reference configuration 64B packets @100, 50, and 0 percent load, a = 0.35, b = 0.4, g = 0.25.

About Juniper Networks

Juniper Networks, Inc. is the leader in high-performance networking. Juniper offers a high-performance network infrastructure that creates a responsive and trusted environment for accelerating the deployment of services and applications over a single network. This fuels high-performance businesses. Additional information can be found at www.juniper.net.

Corporate and Sales Headquarters

Juniper Networks, Inc.
1194 North Mathilda Avenue
Sunnyvale, CA 94089 USA
Phone: 888.JUNIPER [888.586.4737]
or 408.745.2000
Fax: 408.745.2100
www.juniper.net

APAC Headquarters

Juniper Networks (Hong Kong)
26/F, Cityplaza One
1111 King's Road
Taikoo Shing, Hong Kong
Phone: 852.2332.3636
Fax: 852.2574.7803

EMEA Headquarters

Juniper Networks Ireland
Airside Business Park
Swords, County Dublin, Ireland
Phone: 35.31.8903.600
EMEA Sales: 00800.4586.4737
Fax: 35.31.8903.601

To purchase Juniper Networks solutions, please contact your Juniper Networks representative at 1-866-298-6428 or authorized reseller.

Copyright 2010 Juniper Networks, Inc. All rights reserved. Juniper Networks, the Juniper Networks logo, Junos, NetScreen, and ScreenOS are registered trademarks of Juniper Networks, Inc. in the United States and other countries. All other trademarks, service marks, registered marks, or registered service marks are the property of their respective owners. Juniper Networks assumes no responsibility for any inaccuracies in this document. Juniper Networks reserves the right to change, modify, transfer, or otherwise revise this publication without notice.